Claims

1. An aqueous solution for electrodepositing tin-zinc alloys comprising the following components:

5

- a) Zn(II) ions;
- b) Sn(II) ions;
- c) aliphatic carboxylic acids and/or alkali salts thereof;
- d) anionic surfactants;
- 10 e) non-ionic surfactants.
 - 2. A solution according to claim 1 which additionally comprises aromatic aldehydes and/or aromatic ketones.
- A solution according to claim 2 wherein the aromatic aldehydes and/or aromatic ketones have the formula (I)

$$AR-R-CO-R'$$
 (I)

- wherein AR = phenyl, naphthyl; $R = CH_2$, CH = CH and R' = H, C_{1-3} alkyl.
 - 4. A solution according to claim 2, characterised in that the aromatic aldehydes have the formula (II)



25

- wherein X = H, CH_3 , OCH_3 , C1, Br.
- 5. A solution according to claim 1, wherein the solution has a pH value of 2 8.
- 30 6. A solution according to claim 5, wherein the solution has a pH value of 3 5.

10

15

20

- 7. A solution according to claim 1, wherein the Sn(II) and Zn(II) ions are contained as chlorides, sulfates or alkyl sulfonates and, optionally, conducting salts of pertinent anions are also contained.
- A solution according to claim 1, wherein the aliphatic carboxylic acids are hydroxy carboxylic acids and/or amino carboxylic acids or alkali salts thereof.
 - 9. A solution according to claim 8, wherein the carboxylic acids are citric acid or alkali salts thereof.

10. A solution according to claim 1, wherein the non-ionic surfactants have the formula (III)

$$R-O-(C_2H_4O)_nH (III)$$

wherein R represents an alkyl, aryl, alkylaryl radical and n = 1 - 100.

11. A solution according to claim 10, which additionally comprises non-ionic surfactants of the formula (IV)

$$R'-S-(C_2H_4O)_nH (IV)$$

and/or of the formula (V)

$$R"N[(C_2H_4O)_nH]_2 (V)$$

wherein R' = C_{1-3} alkyl or $-(C_2H_4)_nH$; R" = C_{5-20} alkyl and n = 1 - 100.

A solution according to claim 1, wherein the anionic surfactants include one or more of the compounds of the formulae (VI) to (IX)

a')
$$R - \bigcirc C_2H_4O)_n - SO_3M$$
 (VI)

wherein $R = C_{3-12}$ alkyl; X = H, $-SO_3M$; M = Na, K, NH_4

b') R'-O- $(C_2H_4O)n$ -R"-SO₃M

(VII)

wherein $R' = C_{3-12}$ alkyl; $R'' = C_{2-5}$ alkyl, M = Na, K, NH_4


(VIII)

5 wherein R''' = H, C_{1-5} alkyl, $O-(C_2H_4O)_n$ -X; or

and $X = SO_3M$ with $M = Na, K, NH_4$



wherein R''' = H, C_{1-5} alkyl, $O-(C_2H_4O)_n-X$; or



10

and $X = SO_3M$ with M = Na, K, NH_4 with n = 0 - 100, preferably 6 - 15

- 13. A solution according to claim 1, which additionally comprises aromatic and/or heterocyclic carboxylic acids or alkali salts thereof.
 - · 14. A solution according to claim 13, wherein the carboxylic acids have the formula (XIV)

wherein
$$R = \bigcirc$$
, \bigcirc , \bigcirc , \bigcirc and $M = H$, Na, K , NH_4